

Contents of Volumes 43–44 · 2003/2004

- Adachi K, Nelson GH, Peoples KA, DeZwaan TM, Skalchunes AR, Heiniger RW, Shuster JR, Hamer L, Tanzer MM: Sequence analysis and functional characterization of the dialkylglycine decarboxylase gene *DGD1* from *Mycosphaerella graminicola* 358
- Aguilar-Elena R → Velayos A
- Ahn JY → Kim TS
- Akiyama K → Jain S
- Alamäe T → Karp H
- Alvarez MI → Velayos A
- Aramayo R → Kutil BL
- Aramayo R → Lee DW
- Arseniuk E → Ueng PP
- Atkin AL → Shields CM
- Atkin AL → Kebaara B
- Ault JG → Riordan CE
- Avila M → Manubens A
- Bali M → Danzi SE
- Barbieri E → Guidi C
- Béguiristain T → Diez J
- Bell PJJ → Bradner JR
- Ben-Aroya S → Koren A
- Berger J → Tahirovic S
- Bergstrom GC → Ueng PP
- Boccaro M → Choquer M
- Boles E → Diezemann A
- Bollenbach TJ → Cahoon AB
- Bradner JR, Bell PJJ, Te'o VSI, Nevalainen KMH: The application of PCR for the isolation of a lipase gene from the genomic DNA of an Antarctic microfungus 224
- Braus GH → Irniger S
- Braus GH → Düvel K
- Bruel C → Rolland S
- Brunner K, Peterbauer CK, Mach RL, Lorito M, Zeilinger S, Kubicek CP: The NagI *N*-acetylglucosaminidase of *Trichoderma atroviride* is essential for chitinase induction by chitin and of major relevance to biocontrol 289
- Burich R, Lei M: Two bipartite NLSs mediate constitutive nuclear localization of Mcm10 195
- Cahoon AB, Cunningham KA, Bollenbach TJ, Stern DB: Maize BMS cultured cell lines survive with massive plastid gene loss 104
- Campoy S, Pérez F, Martín JF, Gutiérrez S, Liras P: Stable transformants of the azaphilone pigment-producing *Monascus purpureus* obtained by protoplast transformation and *Agrobacterium*-mediated DNA transfer 447
- Canessa P → Manubens A
- Casacuberta JM → Diez J
- Chanet R, Heude M: Characterization of mutations that are synthetic lethal with *pol3-13*, a mutated allele of DNA polymerase delta in *Saccharomyces cerevisiae* 337
- Chaudhuri M, Nargang FE: Import and assembly of *Neurospora crassa* Tom40 into mitochondria of *Trypanosoma brucei* in vivo 85
- Cheatle J → Shields CM
- Chen XJ → Senapin S
- Choquer M, Boccaro M, Vidal-Cros A: A semi-quantitative RT-PCR method to readily compare expression levels within *Botrytis cinerea* multigenic families in vitro and in planta 303
- Chuma I, Tosa Y, Taga M, Nakayashiki H, Mayama S: Meiotic behavior of a supernumerary chromosome in *Magnaporthe oryzae* 191
- Chung K-R, Daub ME, Ehrenshaft M: Expression of the cercosporin toxin resistance gene (*CRG1*) as a dicistronic mRNA in the filamentous fungus *Cercospora nicotianae* 415
- Clark-Walker GD → Senapin S
- Cozijnsen AJ, Howlett BJ: Characterisation of the mating-type locus of the plant pathogenic ascomycete *Leptosphaeria maculans* 351
- Cui K → Ueng PP
- Cummings MP, Nugent JM, Olmstead RG, Palmer JD: Phylogenetic analysis reveals five independent transfers of the chloroplast gene *rbcL* to the mitochondrial genome in angiosperms 131
- Cunfer BM → Ueng PP
- Cunningham KA → Cahoon AB
- Czembor PC → Ueng PP
- Dai Q → Ueng PP
- Danzi SE, Bali M, Michels CA: Clustered-charge to alanine scanning mutagenesis of the Mal63 *MAL*-activator C-terminal regulatory domain 173
- Daub ME → Chung K-R
- Davis D: Adaptation to environmental pH in *Candida albicans* and its relation to pathogenesis 58
- Davis D: Adaptation to environmental pH in *Candida albicans* and its relation to pathogenesis 1
- Dawe AL → Parsley TB
- de Araújo EF → Lima JO
- de Queiroz MV → Lima JO
- de Resende MLV → Lima JO
- De Wit PJGM → Snoeijers SS
- Debaud J-C → Jargeat P
- DeZwaan TM → Adachi K
- Dieckmann CL → Islas-Osuna MA
- Diez J, Béguiristain T, Le Tacon F, Casacuberta JM, Tagu D: Identification of Tyl-*copia* retrotransposons in three ectomycorrhizal basidiomycetes: evolutionary relationships and use as molecular markers 34
- Diezemann A, Boles E: Functional characterization of the Frt1 sugar transporter and of fructose uptake in *Kluyveromyces lactis* 281
- dos Santos JK → Lima JO
- Drescher A → Swiatek M
- Düvel K, Pries R, Braus GH: Polyadenylation of rRNA- and tRNA-based yeast transcripts cleaved by internal ribozyme activity 255
- Eckert SE → Johnson H
- Egener T → Hohe A
- Ehrenshaft M → Chung K-R
- Eichinger L: Revamp a model—status and prospects of the *Dictyostelium* genome project 59
- Eisendle M → Oberegger H
- Ekwall K → Okorokova-Façanha AL
- Ellis TP → Islas-Osuna MA
- Eslera AP → Velayos A
- Fèvre M → Rolland S
- Fitt BDL → Foster SJ
- Fleck O → Grishchuk AL
- Forsburg SL → Snaith HA
- Foster SJ, Fitt BDL: Isolation and characterisation of the mating-type (MAT) locus from *Rhynchosporium secalis* 277
- Fraissinet-Tachet L → Jargeat P
- Fuentes-Vicente M → Velayos A
- Gajewska B, Shcherbik N, Oficjalska D, Haines DS, Zoladek T: Functional analysis of the human orthologue of the *RSP5* encoded ubiquitin protein ligase, hNedd4, in yeast 1
- Gay G → Jargeat P
- Gold MH → Ma B
- Golobinski R → Maor R
- Goodwin P → Maor R
- Goosen T → Snoeijers SS
- Graessle S → Oberegger H
- Greiner S → Swiatek M
- Grishchuk AL, Kraehenbuehl R, Molnar M, Fleck O, Kohli J: Genetic and cytological characterization of the RecA-homologous proteins Rad51 and Dmc1 of *Schizosaccharomyces pombe* 317
- Guidi C, Zeppa S, Barbieri E, Zambonelli A, Polidori E, Potenza L, Stocchi V: A putative mitochondrial fission gene from the ectomycorrhizal ascomycete *Tuber borchii* Vittad.: cloning, characterisation and phylogeny 148
- Gutiérrez S → Campoy S
- Haag JR → Lee DW
- Haas H → Oberegger H
- Haifley A → Shields CM
- Haines DS → Gajewska B
- Hamasaki N → Okamaoto M
- Hamer L → Adachi K
- Hatakeyama T → Suga M
- Hayashi J-I → Okamaoto M
- Heiniger RW → Adachi K
- Heinisch JJ → Schmitz H-P
- Heinisch JJ → López ML
- Herrmann RG → Swiatek M

- Heude M → Chanet R
 Hilti N → Naula N
 Hoff B → Pöggeler S
 Hohe A, Egner T, Lucht JM, Holtorf H, Reinhard C, Schween G, Reski R: An improved and highly standardised transformation procedure allows efficient production of single and multiple targeted gene-knockouts in a moss, *Physcomitrella patens* 339
 Holtorf H → Hohe A
 Hou A → Shields CM
 Howlett BJ → Cozijnsen AJ
 Hudson AP → Lu L
- Inlow M → Liu X
 Irniger S, Braus GH: Controlling transcription by destruction: the regulation of yeast Gcn4p stability 8
 Ishihama A → Mitsuzawa H
 Islas-Osuna MA, Ellis TP, Mittelmeier TM, Dieckmann CL: Suppressor mutations define two regions in the Cbp1 protein important for mitochondrial cytochrome *b* mRNA stability in *Saccharomyces cerevisiae* 327
 Isobe K → Okamoto M
 Iturriaga EA → Velayos A
- Järviste A → Karp H
 Jain S, Akiyama K, Kan T, Ohguchi T, Takata R: The G protein β subunit FGB1 regulates development and pathogenicity in *Fusarium oxysporum* 79
 Jargeat P, Rekangalt D, Verner M-C, Gay G, Debaud J-C, Marmeisse R, Fraissinet-Tachet L: Characterisation and expression analysis of a nitrate transporter and nitrite reductase genes, two members of a gene cluster for nitrate assimilation from the symbiotic basidiomycete *Hebeloma Zylindrosporium* 199
 Jenczmionka NJ, Maier FJ, Lösch AP, Schfer W: Mating, conidiation and pathogenicity of *Fusarium graminearum*, the main causal agent of the head-blight disease of wheat, are regulated by the MAP kinase gpmk1 87
 Jobic C → Rolland S
 Johnson H, Whiteford JR, Eckert SE, Spanu PD: Production and secretion of *Aspergillus nidulans* catalase B in filamentous fungi driven by the promoter and signal peptide of the *Cladosporium fulvum* hydrophobin gene *hcf-1* 155
- Kan T → Jain S
 Kang D → Okamoto M
 Kang HS → Kim TS
 Kang S → Ospina-Giraldo MD
 Karp H, Järviste A, Kriegel TM, Alamäe T: Cloning and biochemical characterization of hexokinase from the methylotrophic yeast *Hansenula polymorpha* 268
 Kebaara B, Nazarens T, Taylor R, Atkin AL: Genetic background affects relative nonsense mRNA accumulation in wild-type and *upf* mutant yeast strains 171
- Keithly JS → Riordan CE
 Kemp S → Swiatek M
 Keszenman-Pereyra D, Lawrence S, Twiefel M-E, Price J, Turner G: The *npa1/cfwA* gene encodes a putative 4'-phosphopantetheinyl transferase which is essential for penicillin biosynthesis in *Aspergillus nidulans* 186
 Kim TS, Ahn JY, Yoon JH, Kang HS: *STA10* repression of *STA* gene expression is caused by a defective activator, *flo8*, in *Saccharomyces cerevisiae* 261
 Kohli J → Grishchuk AL
 Koop H-U → Swiatek M
 Koren A, Ben-Aroya S, Steinlauf R, Kupiec M: Pitfalls of the synthetic lethality screen in *Saccharomyces cerevisiae*: an improved design 62
 Kosman E → Maor R
 Kraehenbuehl R → Grishchuk AL
 Kriegel TM → Karp H
 Kruszezka JS → Zakrzewska A
 Kubicek CP → Brunner K
 Kück U → Pöggeler S
 Kupiec M → Koren A
 Kutil BL, Seong K-Y, Aramayo R: Unpaired genes do not silence their paired neighbors 425
- Labarère J → Sirand-Pugnet P
 Lagerstedt JO → Persson BL
 Lakshman DK → Liu C
 Lakshmanan J, Mosley AL, Özcan S: Repression of transcription by Rgt1 in the absence of glucose requires Std1 and Mth1 19
 Langreth SG → Riordan CE
 Lawrence S → Keszenman-Pereyra D
 Le Tacon F → Diez J
 Lee DW, Haag JR, Aramayo R: Construction of strains for rapid homokaryon purification after integration of constructs at the histidine-3 (*his-3*) locus of *Neurospora crassa* 17
 Lei M → Burich R
 Leung B → Peng Z
 Lima JO, dos Santos JK, Pereira JF, de Resende MLV, de Araújo EF, de Queiroz MV: Development of a transformation system for *Crinipellis perniciosus*, the causal agent of witches' broom in cocoa plants 70
 Liras P → Campoy S
 Liu C, Lakshman DK, Tavantzis SM: Quinic acid induces hypovirulence and expression of a hypovirulence-associated double-stranded RNA in *Rhizoctonia solani* 103
 Liu X, Inlow M, VanEtten HD: Expression profiles of pea pathogenicity (*PEP*) genes in vivo and in vitro, characterization of the flanking regions of the *PEP* cluster and evidence that the *PEP* cluster region resulted from horizontal gene transfer in the fungal pathogen *Nectria haematococca* 95
 Löffelhardt W → Steiner JM
 Lösch AP → Jenczmionka NJ
- López ML, Redruello B, Valdés E, Moreno F, Heinisch JJ, Rodicio R: Isocitrate lyase of the yeast *Kluyveromyces lactis* is subject to glucose repression but not to catabolite inactivation 305
 Lorito M → Brunner K
 Lu L, Roberts G, Simon K, Yu J, Hudson AP: Rsf1p, a protein required for respiratory growth of *Saccharomyces cerevisiae* 263
 Lucht JM → Hohe A
 Lundh F → Persson BL
 Lundh K → Persson BL
- Ma B, Mayfield MB, Gold MH: Homologous expression of *Phanerochaete chrysosporium* manganese peroxidase, using bialaphos resistance as a dominant selectable marker 407
 Mach RL → Brunner K
 Kriegel TM → Jenczmionka NJ
 Maier RM → Swiatek M
 Manubens A, Avila M, Canessa P, Vicuña R: Differential regulation of genes encoding manganese peroxidase (MnP) in the basidiomycete *Ceriporiopsis subvermispora* 433
 Maor R, Kosman E, Golobinski R, Goodwin P, Sharon A: PF-IND: probability algorithm and software for separation of plant and fungal sequences 296
 Marlett J → Snaith HA
 Marmeisse R → Jargeat P
 Martin JF → Campoy S
 Masloff S → Pöggeler S
 Mayama S → Chuma I
 Mayfield MB → Ma B
 Mayinger P → Tahirovic S
 Mayrhofer S → Pöggeler S
 McColl D, Valencia CA, Vierula PJ: Characterization and expression of the *Neurospora crassa nmt-1* gene 216
 McLeod M → Peng Z
 Merkle T: Nucleo-cytoplasmic partitioning of proteins in plants: implications for the regulation of environmental and developmental signalling 231
 Meyer V, Mueller D, Strowig T, Stahl U: Comparison of different transformation methods for *Aspergillus giganteus* 371
 Michels CA → Danzi SE
 Migdalski A → Zakrzewska A
 Mitsuzawa H, Ishihama A: RNA polymerase II transcription apparatus in *Schizosaccharomyces pombe* 287
 Mittelmeier TM → Islas-Osuna MA
 Molnar M → Grishchuk AL
 Moreno F → López ML
 Mosley AL → Lakshmanan J
 Mueller D → Meyer V
 Mullins E → Ospina-Giraldo MD
- Nakada K → Okamoto M
 Nakayashiki H → Chuma I
 Nargang FE → Chaudhuri M
 Naula N, Hilti N, Schweingruber AM, Schweingruber ME: Cordycepin in *Schizosaccharomyces pombe*: effects on

- the wild type and phenotypes of mutants resistant to the drug 400
- Nazarenus T → Shields CM
- Nazarenus T → Keabaara B
- Nelson GH → Adachi K
- Nevalainen KMH → Bradner JR
- Nickelsen J: Chloroplast RNA-binding proteins 392
- Nosek J, Tomáška L: Mitochondrial genome diversity: evolution of the molecular architecture and replication strategy 73
- Nugent JM → Cummings MP
- Nuss DL → Parsley TB
- Oberegger H, Eisendle M, Schrettl M, Graessle S, Haas H: 4'-Phosphopantetheinyl transferase-encoding *npgA* is essential for siderophore biosynthesis in *Aspergillus nidulans* 211
- Oficjalska D → Gajewska B
- Ohguchi T → Jain S
- Ohsato T → Okamaoto M
- Okamaoto M, Ohsato T, Nakada K, Isobe K, Spelbrink JN, Hayashi J-I, Hamasaki N, Kang D: Ditercalinium chloride, a pro-anticancer drug, intimately associates with mammalian mitochondrial DNA and inhibits its replication 364
- Okorokov LA → Okorokova-Façanha AL
- Okorokova-Façanha AL, Okorokov LA, Ekwall K: An inventory of the P-type ATPases in the fission yeast *Schizosaccharomyces pombe* 273
- Olmostad RG → Cummings MP
- Ospina-Giraldo MD, Mullins E, Kang S: Loss of function of the *Fusarium oxysporum* *SNF1* gene reduces virulence on cabbage and *Arabidopsis* 49
- Özcan S → Lakshmanan J
- Palamarczyk G → Zakrzewska A
- Palmer JD → Cummings MP
- Papp T → Velayos A
- Parsley TB, Segers GC, Nuss DL, Dawe AL: Analysis of altered G-protein subunit accumulation in *Cryphonectria parasitica* reveals a third Gx homologue 24
- Pattison-Granberg J → Persson BL
- Peng Z, Wang W, Schettino A, Leung B, McLeod M: Inactivation of Ran1/Pat1 kinase bypasses the requirement for high-level expression of *mei2* during fission yeast meiosis 178
- Penttilä ME → Zakrzewska A
- Peoples KA → Adachi K
- Pereira JF → Lima JO
- Pérez F → Campoy S
- Pérez-García A → Snoeijers SS
- Persson BL, Lagerstedt JO, Pratt JR, Pattison-Granberg J, Lundh K, Shokrollahzadeh S, Lundh F: Regulation of phosphate acquisition in *Saccharomyces cerevisiae* 225
- Peterbauer CK → Brunner K
- Plüddemann A, van Zyl WH: Evaluation of *Aspergillus niger* as host for virus-like particle production, using the hepatitis B surface antigen as a model 439
- Pöggeler S, Masloff S, Hoff B, Mayrhofer S, Kück U: Versatile EGFP reporter plasmids for cellular localization of recombinant gene products in filamentous fungi 54
- Polidori E → Guidi C
- Pompe JA → Steiner JM
- Potenza L → Guidi C
- Pratt JR → Persson BL
- Price J → Keszenman-Pereyra D
- Pries R → Düvel K
- Ramezani-Rad M: The role of adaptor protein Ste50-dependent regulation of the MAPKKK Ste11 in multiple signaling pathways of yeast 161
- Ramotar D, Wang H: Protective mechanisms against the antitumor agent bleomycin: lessons from *Saccharomyces cerevisiae* 213
- Redruello B → López ML
- Reinhard C → Hohe A
- Rekangalt D → Jargeat P
- Reski R → Hohe A
- Riordan CE, Ault JG, Langreth SG, Keithly JS: *Cryptosporidium parvum* Cpn60 targets a relic organelle 138
- Roberts G → Lu L
- Rodicio R → López ML
- Rolland S, Jobic C, Fèvre M, Bruel C: *Agrobacterium*-mediated transformation of *Botrytis cinerea*, simple purification of monokaryotic transformants and rapid conidia-based identification of the transfer-DNA host genomic DNA flanking sequences 164
- Saloheimo M → Zakrzewska A
- Santos C → Sirand-Pugnet P
- Schäfer W → Jenczmionka NJ
- Schäfer B: Genetic conservation versus variability in mitochondria: the architecture of the mitochondrial genome in the petite-negative yeast *Schizosaccharomyces pombe* 311
- Schüller H-J: Transcriptional control of nonfermentative metabolism in the yeast *Saccharomyces cerevisiae* 139
- Schünemann D: Structure and function of the chloroplast signal recognition particle 295
- Schettino A → Peng Z
- Schmitz H-P, Heinisch JJ: Evolution, biochemistry and genetics of protein kinase C in fungi 245
- Schorr M → Tahirovic S
- Schrettl M → Oberegger H
- Schfer W → Jenczmionka NJ
- Schwarz H → Tahirovic S
- Schween G → Hohe A
- Schweingruber AM → Naula N
- Schweingruber ME → Naula N
- Segers GC → Parsley TB
- Senapin S, Chen XJ, Clark-Walker GD: Transcription of *TIM9*, a new factor required for the petite-positive phenotype of *Saccharomyces cerevisiae*, is defective in *spt7* mutants 202
- Seong K-Y → Kutil BL
- Sharon A → Maor R
- Shcherbik N → Gajewska B
- Shields CM, Taylor R, Nazarenus T, Cheate J, Hou A, Tappich A, Haifley A, Atkin AL: *Saccharomyces cerevisiae* Ats1p interacts with Nap1p, a cytoplasmic protein that controls bud morphogenesis 184
- Shokrollahzadeh S → Persson BL
- Shuster JR → Adachi K
- Sia EA → Sia RAL
- Sia RAL, Urbonas BL, Sia EA: Effects of ploidy, growth conditions and the mitochondrial nucleoid-associated protein Ilv5p on the rate of mutation of mitochondrial DNA in *Saccharomyces cerevisiae* 26
- Simon K → Lu L
- Sirand-Pugnet P, Santos C, Labarère J: The *Aa-Pri4* gene, specifically expressed during fruiting initiation in the *Agrocybe aegerita* complex, contains an unusual CT-rich leader intron within the 5' uncoding region 124
- Skalchunes AR → Adachi K
- Snaith HA, Marlett J, Forsburg SL: Ibp1p, a novel Cdc25-related phosphatase, suppresses *Schizosaccharomyces pombe* *hsk1* (*cdc7*) 38
- Snoeijers SS, Pérez-García A, Goosen T, De Wit PJGM: Promoter analysis of the avirulence gene *Avr9* of the fungal tomato pathogen *Cladosporium fulvum* in the model filamentous fungus *Aspergillus nidulans* 96
- Spanu PD → Johnson H
- Spelbrink JN → Okamaoto M
- Stahl U → Meyer V
- Steiner JM, Pompe JA, Löffelhardt W: Characterization of *apcC*, the nuclear gene for the phycobilisome core linker polypeptide L_c^{7.8} from the glaucocystophyte alga *Cyanophora paradoxa*. Import of the precursor into isolated cyanelles and integration of the mature protein into intact phycobilisomes 132
- Steinlauf R → Koren A
- Stern DB → Cahoon AB
- Stocchi V → Guidi C
- Strowig T → Meyer V
- Suga M, Hatakeyama T: High-efficiency electroporation by freezing intact yeast cells with addition of calcium 206
- Swiatek M, Greiner S, Kemp S, Drescher A, Koop H-U, Herrmann RG, Maier RM: PCR analysis of pulsed-field gel electrophoresis-purified plastid DNA, a sensitive tool to judge the hetero-/homoplasmic status of plastid transformants 45
- Taga M → Chuma I
- Tagu D → Diez J
- Tahirovic S, Schorr M, Then A, Berger J, Schwarz H, Mayinger P: Role for lipid signaling and the cell integrity MAP kinase cascade in yeast septum biogenesis 71
- Takata R → Jain S

- Tanzer MM → Adachi K
 Tapprich A → Shields CM
 Tavantzis SM → Liu C
 Taylor R → Kebaara B
 Taylor R → Shields CM
 Te'o VSJ → Bradner JR
 Then A → Tahirovic S
 Tomáška L' → Nosek J
 Tosa Y → Chuma I
 Tsang H → Ueng PP
 Turner G → Keszenman-Pereyra D
 Twfieg M-E → Keszenman-Pereyra D
- Ueng PP, Dai Q, Cui K, Czembor PC, Cunfer BM, Tsang H, Arseniuk E, Bergstrom GC: Sequence diversity of mating-type genes in *Phaeosphaeria avenaria* 121
- Urbonas BL → Sia RAL
- Valdés E → López ML
 Valencia CA → McColl D
 van Vuuren HJJ → Volschenk H
 van Zyl WH → Plüddemann A
- VanEtten HD → Liu X
 Velayos A, Papp T, Aguilar-Elena R, Fuentes-Vicente M, Eslava AP, Iturriaga EA, Álvarez MI: Expression of the *carG* gene, encoding geranylgeranyl pyrophosphate synthase, is up-regulated by blue light in *Mucor circinelloides* 112
- Verner M-C → Jargeat P
 Vicuña R → Manubens A
 Vidal-Cros A → Choquer M
 Vierula PJ → McColl D
 Viljoen-Bloom M → Volschenk H
 Volschenk H, van Vuuren HJJ, Viljoen-Bloom M: Malo-ethanolic fermentation in *Saccharomyces* and *Schizosaccharomyces* 379
- Wang H → Ramotar D
 Wang W → Peng Z
 Wendland J: PCR-based methods facilitate targeted gene manipulations and cloning procedures 115
 Whiteford JR → Johnson H
- Yoon JH → Kim TS
 Yu J → Lu L
- Zakrzewska A, Migdalski A, Saloheimo M, Penttilä ME, Palamarczyk G, Kruszevska JS: cDNA encoding protein O-mannosyltransferase from the filamentous fungus *Trichoderma reesei*; functional equivalence to *Saccharomyces cerevisiae* PMT₂ 11
- Zambonelli A → Guidi C
 Zeilinger S → Brunner K
 Zeppa S → Guidi C
 Zolądek T → Gajewska B
- Indexed in/abstracted by: *Current Contents/ Life Sciences*; *PubMed*; *Chemical Abstracts Service*; *BIOSIS Zoological Record*; *Index Medicus*; *EMBASE*; *Science Citation Index*; *Aquatic Sciences and Fisheries Abstracts*

